

BIOIMPEDÂNCIA - REFERENCIAS BIBLIOGRAFICAS

AVALIACAO DA COMPOSICAO CORPORAL: METODOS, PRINCIPIOS E APLICACOES

Lohman, T.G.: Advances in body composition assessment. Current Issues in Exercise Science Series. Monograph # 3
Human Kinetics Publishers, Champaign, IL, 1992

Heyward VH and Stolarczyk LM. Applied Body Composition Assessment
Human Kinetics Publishers, Champaign, IL, 1996

Roche AF, Heymsfield SB, Lohman TG. Human Body Composition
Human Kinetics Publishers, Champaign, IL, 1996

Lukaski, H.C.: Methods for the assessment of human body composition: traditional and new
Am. J. Clin. Nutr. 1987; 46:537-56

BIOIMPEDÂNCIA: PRINCIPIOS, VALIDACAO E APLICACOES

Mattar R. Avaliação da composição corporal por bioimpedância: uma nova perspectiva
J. Biomol. Med. Free Radic. 1998;4(1):27-29
Rev. Âmbito Med. Desp. 11/1995, pp. 22-24

Mattar, R., Gomes, P.S.C.: Human body composition assessment by bioelectrical impedance analysis (BIA): methodology and applications
XVIII Simp. Int. Ciên. Esporte, São Caetano do Sul, Out. 1992

Meguid MM, et al. Bioelectrical impedance (BIA) method in body composition studies
J. Parent. Ent. Nutr. 11(1), Jan-Feb. 1987

Roche AF, et al. Estimation of body composition by impedance
Med. Sci. Sports Exerc. 19(2):40, Suppl., Apr. 1987

Segal KR, et al. Lean body mass estimation by bioelectrical impedance analysis: a four-site cross-validation study
American Journal of Clinical Nutrition, 1988; 47:7-14

Van Loan, M.D.: Bioelectrical impedance analysis to determine fat-free mass, total body water and body fat
Sports Med. 10(4):205-217, 1990

Lukaski, H.C.; et all: Assessment of fat-free mass using bioelectrical impedance measurements of the human body
Am. J. Clin. Nutr. 1985; 41:810-817

Lukaski, H.C.; et all: Validation of tetrapolar bioelectrical impedance methods to assess human body composition
J. Appl. Physiol. 60(4):1327-1332, 1986

Baumgartner, R.N.; et all: Bioelectric impedance for body composition
Exerc. Spt. Sci. Rev. 18:193-224, 1990

Chumlea, Wm.C.; et all: Bioelectric impedance methods for the estimation of body composition
Can. J. Spt. Sci. 15(3):172-179,1990

Girandola, R.N.; et all: The validity of bioelectrical impedance to predict body composition
Olympic Sci. Congress, New Horizons of Human Movement, 1988

BIOIMPEDÂNCIA EM COMPARAÇÃO COM OUTROS MÉTODOS

Mattar, R.; et all: Body Mass Index (BMI) as an indicator of body composition: evidence through bioelectrical impedance
XVIII Simp. Int. Ciênc. Esp., Out. 1992

Rossi, Luciana; Tirapegui, Júlio: Comparação dos métodos de bioimpedância e equação de Faulkner para avaliação da composição corporal em desportistas
Revista Brasileira de Ciências Farmacêuticas, Vol. 37, n. 2, maio/ago 2001, pp. 137-142

Lin KH, et al. Reliability of body fat measurement: Skinfold, bioelectrical impedance analysis and infrared
Journal of the Physical Therapy Association of the Republic of China, September 1995; 102-108

Biaggi RR, et al. Comparison of air-displacement plethysmography with hydrostatic weighing and bioelectrical impedance analysis for the assessment of body composition in healthy adults
American Journal of Clinical Nutrition, 1999; 69: 898-903

Pasco, J.A.; et all: Body fat estimated from anthropometric and electrical impedance measurement
Hum. Nutr. Clin. Nutr. 1985; 39C:365-369

Sinning WE, et al. Variability of estimating body composition measures by skinfolds and bioresistance
Med. Sci. Sports Exerc. 19(2):39, Supp., Apr. 1987

Thompson, D.L.; et all: Effects of hydration and dehydration on body composition analysis: a comparative study of bioelectric impedance analysis and hydrodensitometry
J. Sports Med. Phys. Fitness 1991; 31(4):565-70

Vansant, G.; et all: Assessment of body composition by skinfold anthropometry and bioelectrical impedance technique: a comparative study
J. Par. Ent. Nutr. 1994; 18:427-429

Villar J, et al. Bioimpedance or anthropometry ?
American Journal of Clinical Nutrition, 1989; 43:129-137

Wang J, et al. Validation of body fat estimation by BIA using dual photon absorptiometry (DPA)
Fed. Proc. 1987; 46(4)

Belford M, et al. The validity of bioelectrical impedance, near-infrared interactance and skinfold equations for estimating body composition in females
Med. Sci. Sports Exerc. 25(5):S162, 1993

Brodie DA, et al. Body fat estimations by electrical impedance and infra-red interactance
Int. J. Sports Med. 13(4):319-325, 1992

Cunningham JJ. New approaches to the noninvasive assessment of body composition: bioelectrical impedance analysis and total body electrical conductivity
Nutr. Int. 3:6-10, 1987

Kushner RF, et al. Estimation of lean body mass by bioimpedance analysis compared to skinfold anthropometry
American Journal of Clinical Nutrition, 45(4):830, Apr. 1987

Levenhagen DK, et al. A Comparison of Air Displacement Plethysmography with Three Other Techniques to Determine Body Fat in Healthy Adults
Journal of Parenteral and Enteral Nutrition, September-October 1999; Vol. 23, No. 5; 293-299

Roche, A.F.; et al: Fat-free mass in children and young adults predicted from bioelectric impedance and anthropometric variables
Am. J. Clin. Nutr. 1989; 50:435-43

BIOIMPEDÂNCIA EM CRIANÇAS

Goran, M.I.; et all: Estimating body composition of young children by using bioelectrical resistance
J. Appl. Physiol. 75(4):1776-1780, 1993

Houtkooper, L.B.; et all: Bioelectrical impedance estimation of fat-free mass in children and youth: a cross-validation study
J. Appl. Physiol. 72(1):366-373, 1992

Houtkooper, L.B.; et all: Validity of bioelectric impedance for body composition assessment in children
J. Appl. Physiol. 66(2):814-21, 1989

Houtkooper, L.B.; et all: Validity of whole body bioelectrical impedance analysis for body composition assessment in children
Med. Sci. Sports Exerc. 19(2):39, Suppl., Apr. 1987

Roche AF, et al. Fat-free mass in children and young adults predicted from bioelectric impedance and anthropometric variables
American Journal of Clinical Nutrition, 1989; 50:435-43

BIOIMPEDÂNCIA EM IDOSOS

Berger VA, et al. Reproducibility of body composition and body water spaces measurements in healthy elderly individuals
The Journal of Nutrition, Health & Aging, 2000;4(4):24305

Hughes, V.A.; et all: Assessment of fat-free mass in an older population using bioelectrical impedance
Fed. Proc. 46(4), 1987

Svendsen, O.L.; et all: Measurement of body fat in elderly subjects by dual-energy x-ray absorptiometry, bioelectrical impedance and anthropometry
Am. J. Clin. Nutr. 1991; 53:1117-23

BIOIMPEDÂNCIA EM OBESIDADE

Heber D, et al. Clinical detection of sarcopenic obesity by bioelectrical impedance analysis
American Journal of Clinical Nutrition; 1996; 64 (supplement 3); 472S-477S

BIOIMPEDÂNCIA EM ATLETAS

Al-Jaser TA, et al. Fluid loss and body composition of elite Kuwaiti soccer players during a soccer match
Journal of Sports Medicine and Physical Fitness, 2006; 46(2); 281-285

Oppliger RA, et al. Bioelectrical impedance prediction of fat-free mass for high school wrestlers validated
Medicine and Science in Sports and Exercise, 1991, 23, S73 (Abstract)

Chapman R, et al. Body composition testing of athletes in the field using bioelectric impedance analysis

Alaska Med., 1992 Apr-Jun;34(2):87-90,95

Fornetti WC, et al. Reliability and validity of body composition measures in female athletes

Journal of Applied Physiology, 1999 Sep;87(3):1114-22

Kyle UG, et al. Physical activity and fat-free and fat mass by bioelectrical impedance in 3853 adults

Medicine and Science in Sports and Exercise, 2001;33:576-584

Lukaski, H.C.; et al: Body composition assessment of athletes using bioelectrical impedance measurements

J. Sports Med. Phys. Fitness 1990; 30:434-40

Johnson, G.O.; et al: The validity of bioelectrical impedance, near-infrared interactance and skinfold equations for estimating percent fat in female gymnast

Med. Sci. Sports Exerc., 25(5):S162, 1993

Llanes, P., Kiss, M.A.P.D.: Composição Corporal de jogadores de Basquetebol - comparação entre estimativa do percentual de gordura por Bioimpedância (BIA), pela técnica de Drinkwater (TD) e técnica de Yuhasz (TY)

XIX Simp. Int. de Ciências do Esporte "Saúde e Desempenho", São Paulo, Out. 1994

BIOIMPEDÂNCIA EM CASOS CLÍNICOS

Clinica Pratica

Allison GT, et al. The effect of body position on bioelectrical resistance in individuals with spinal cord injury

Disability and Rehabilitation, 1995; 17: 424-429

Faintuch J, et al. Changes in body fluid and energy compartments during prolonged hunger strike

Revista do Hospital das Clínicas, April 2000; 47-54

Rocha, E.E.M.: Impedância bioelétrica: avaliação da composição corporal na prática clínica

Rev. Nut. Ent. Esp. 1994; 3:7-10

Ellis J, et. al. Bioelectrical impedance methods in clinical research: a follow-up to the NIH technology assessment conference

Nutrition, Volume 15, Nos. 11/12, 1999

Diabetes

Leiter LA, et al. Use of bioelectrical impedance analysis measurement in patients with diabetes

American Journal of Clinical Nutrition, 1996; 64: 515S-518S

Lauenborg J, et al. The prevalence of the metabolic syndrome in a Danish population of women with previous GDM is 3-fold higher than the general population

The Journal of Clinical Endocrinology & Metabolism, 2005, 10.1210/jc. 2004-1713

E Muscelli, et al. Lack of insulin inhibition on insulin secretion in non-diabetic morbidly obese patients

International Journal of Obesity (2001) 25, 798 ± 804

E Muscelli, et al. Restored insulin inhibition on insulin secretion in nondiabetic severely obese patients after weight loss induced by bariatric surgery

International Journal of Obesity (2003) 27, 463–468

J A Pereira; et. al. Insulin resistance in nondiabetic morbidly obese patients: effect of bariatric surgery
Obes Res. 2003;11:1495–1501

Geloneze B. et al. Overcoming metabolic syndrome in severe obesity: adiponectin as a marker of insulin sensitivity and HDL-cholesterol improvements after gastric bypass
Arq Bras Endocrinol Metab. 2009;53(2):293-300

Hemodialise

Ljungqvist, O.; et all: Whole body impedance measurements reflect total body water changes. A study in hemodialysis patients
Swe. Int. J. Clin. Monit. Comput. 1990; 7(3):163-169

Lukaski HC. Validation of body composition assessment techniques in the dialysis population
ASAIO J 1997, May-June; 43(3):251-5

Scanforla, F.; et all: On-line bioelectric impedance during hemodialysis: monitoring of body fluids and cell membrane status
Nephrol. Dial. Transplant. Suppl. 1 (1990):167-170

Stall SH. Comparison of five body-composition methods in peritoneal dialysis patients
American Journal of Clinical Nutrition, 1996; August; 64(2):125-30

Wu, T.J.; et all: Bioelectrical impedance analysis of nutritional status in uremic patients on regular hemodialysis
Taiwan I. Hsueh. Hui. Tsa. Chin. 1991; 90(11):1044-8

Chertow GM, et al. Bioelectrical impedance analysis predicts survival in hemodialysis patients
Journal of the American Society of Nephrology, September 1996, Volume 7, #9, abstract #T164, A0969, page 1442

Chertow GM, et al. Nutritional assessment with bioelectrical impedance analysis in maintenance hemodialysis patients
Journal of the American Society of Nephrology, 1995, 6:75-81

Caramori J. C. T. et al. Associations between nutritional markers and inflammation in hemodialysis patients
Int Urol Nephrol, March 2009

Yang FL, et al. A cohort study of subjective global assessment and mortality in Taiwanese hemodialysis patients
Ren Fail, 2007; 29(8); 997-1001

de Vries, P.M.J.M.; et all: Measurement of transcellular fluid shift during haemodialysis
Med. & Biol. Eng. & Comput. 1989; 27:152-158

UTI

Mattar J.A., et al. Application of total body bioimpedance to the critically ill patient
New Horizons, 1995, Vol 4., No. 4; 493-503

Mattar, J.A.: Bioimpedância, Reatância e Resistência: parâmetros biofísicos úteis em suporte nutricional e medicina intensiva
Rev. Metab. Nutr. 2(2):58-62, 1995

Kreymann, G.; et all: Relation of total body reactance to resistance as a predictor of mortality in septic patients

Crit. Care Med. 23(1), Suppl., 1995

Robert, S.; et all: Bioelectrical impedance assessment of nutritional status in critically ill patients

Am. J. Clin. Nutr. 1993; 57:840-4

Queimados

Carlson, R.C.; et all: Assessment of fluid retention in burn patients by using bioelectrical impedance analysis

Am. Burn Assoc., 1986

Cirurgia

Schloerb, P.R.; et all: Bioimpedance as a measure of total body water and body cell mass in surgical nutrition

Eur. Surg. Res. 18(SL):3, 1986

Schroeder, D.; et all: Bioelectrical impedance analysis for body composition: clinical evaluation in general surgical patients

J. Parent. Ent. Nutr. 14:129-133, 1990

Maehara, T.; et all: Perioperative monitoring of total body water by bioelectrical impedance in children undergoing open heart surgery

Eur. J. Cardiothorac. Surg. 1991; 5(5):258-65

Amputados

Vettorazzi, C.; et all: A model for assessing body composition in amputees using bioelectrical impedance analysis

Fed. Proc. 46(4), 1987

Acromegalia

Brummer, R.J.; et all: Validation of body composition determination by bioelectrical impedance analysis in acromegaly

Eur. J. Clin. Nutr. 1992; 46(1):47-52

Rau, H.; et all: Effect of bromocriptine withdrawal in acromegaly on body composition as assessed by bioelectrical impedance analysis

Acta Endoc. 1991; 125(3):273-9

Dengue

Ibrahim F, et al. Modeling of hemoglobin in dengue fever and dengue hemorrhagic fever using bioelectrical impedance

Institute of Physics Publishing, 2004; 607-615

AIDS

Sales S, et al. Phase Angle from bioimpedance measures is an indicator of nutritional status in HIV disease

XVII International AIDS Conference, 2008

Ott M, et al. Bioelectrical impedance analysis as a predictor of survival in patients with human immunodeficiency virus infection

Journal of Acquired Immune Deficiency Syndromes and Human Retrovirology, 1995; 9:20-25

Ott, M.; et all: Early changes of body composition in human immunodeficiency virus-infected patients: tetrapolar body impedance analysis indicates significant malnutrition
Am. J. Clin. Nutr. 57:15-19, 1993

Jacobs, D.O.: Bioelectrical impedance analysis: a way to assess changes in body cell mass in patients with acquired immunodeficiency syndrome ?
J. Parent. Ent. Nutr., 17(5):401-2, 1993

Sluys, T.E.M.S.; et all: Body composition in patients with acquired immunodeficiency syndrome: a validation study of bioelectric impedance analysis
J. Parent. Ent. Nutr. 17(5):404-6, 1993

GH

Deurenberg, P.; et all: Body composition in growth hormone-deficient adults
Am. J. Clin. Nutr. 1992; 55(5):918-23

Cirrose

Zillikens, M.C.; et all: Whole-body and segmental bioelectrical impedance analysis in patients with cirrhosis of the liver: changes after treatment of ascites
Am. J. Clin. Nutr. 1992; 55(3):621-5

McCullough, A.J.; et all: Measurements of total body and extracellular water in cirrhotic patients with and without ascites
Hepatology 1991; 14(6):1102-11

Distrofia Muscular

Hankard, R.; et all: Use of bioelectrical impedancemetry in boys with Duchene muscular dystrophy
J. Parent. Ent. Nutr. 1(19), Suppl. 1, Jan-Fev. 1995

Colera

McDonald, J.J.; et all: Bioimpedance monitoring of rehydration in cholera
Lancet 1993; 341:1049-51

DPOC

Schols, A.M.W.J.; et all: Body composition by bioelectrical impedance analysis compared with deuterium dilution and skinfold anthropometry in patients with chronic obstructive pulmonary disease
Am. J. Clin. Nutr. 1991; 53:421-4

Diarreia

Molina, S.; et all: Response of bioelectrical impedance analysis (BIA) indices to rehydration therapy in severe infantile diarrhea
Am. J. Clin. Nutr. 45(4):837, 1987

BIOIMPEDÂNCIA EM AVALIACAO DO ESTADO HIDRICO

Lukaski, H.C.; et all: Estimation of body fluid volumes using tetrapolar bioelectrical impedance measurements
Aviat. Space Environ. Med. 1988; 59:1163-9

Westendorp, R.G.J.; et all: Weight changes in critically ill patients evaluated by fluid balances and impedance measurements
Crit. Care Med. 1993; 21(6):871-877

Zabetakis, P.M.; et all: Volume changes effect electrical impedance measurement of body composition

Med. Sci. Sports Exerc. 19(2):40, Suppl., Apr. 1987

Johnson, H.L.; et all: Use of bioelectrical measurements for the estimation of total body water and extracellular space in man

Fed. Proc. 46(4), Mar. 1987

Mayfield, S.R.; et all: Measurement of extracellular water (ECW) in low birth weight infants using bioelectrical reactance

Am. Ped. Soc. & Soc. Ped. Res., 1987

Espejo, M.G.A.; et all: Determination of extracellular fluid volume using impedance measurements

Crit. Care Med. 1989; 17(4):360-363

Segal, K.R.; et all: Estimation of body water distribution by bioelectrical impedance

Fed. Proc. 1987; 46:1334

Meguid, M.M.; et all: Rapid bedside method to assess changes in postoperative fluid status with bioelectrical impedance analysis

Surgery 1992; 112:502-8

Kushner RF, Schoeller DA. Estimation of total body water by bioelectrical impedance analysis

American Journal of Clinical Nutrition, 44: Sept. 1986, 417-424